

FISHING IN BELARUS 2005

FISHES	PLACES OF INHABITANTS AND FISHING	BEGINNING OF BITE	THE BEST PERIOD FOR FISHING	HOOK Nr.	FISHING LINE, mm	BAITS			
						winter	spring	summer	autumn
PIKE	Grassy back-water, stretches, rifts, deep, snaggy places	Two weeks after spawning	Morning, evening, in the afternoon of overcast day	6 - 14	0,30 - 0,60	fry, spoon-bait	fry, spoon-bait, worm	fry, spoon-bait	fry, spoon-bait
PIKE PERCH	Deep snaggy pits, crease, sandy bottom stretches	July, September	Early morning, at sunset, twilight	10 - 14	0,40 - 0,60	fry, spoon-bait	fry, spoon-bait	fry, spoon-bait	fry, spoon-bait
PERCH	In all places where covers of snag, rush and algae can be found	First ice, last ice, bird cherry blossoming, haymaking beginning	Morning, evening, in the afternoon of overcast day	4 - 8	0,15 - 0,50	fry, spoon-bait, mosquito grub	fry, spoon-bait, mosquito grub, muckworm	fry, spoon-bait, worm, mayfly	fry, spoon-bait, mosquito grub, worm
BURBOT	Deep, snag, stones, abrupt riverbanks and lakesides	at water temperature below 16° C	At night, during bad weather	8 - 12	0,40 - 0,50	worm, meat, fry	worm, fry	worm, fry	worm, fry

RUFF	Everywhere, except silty places with lack of oxygen	When melted water becomes clear	Always, except bright sunny days with the Northern wind	2,5 - 4	0,10 - 0,20	mosquito grub, fish eye	mosquito grub, worm	mosquito grub, worm	mosquito grub, worm
BREAM	Rift bordering with pit, deep creek	May, August, first ice, last ice	At dawn, dusk, in the afternoon of overcast day	3 - 10	0,15 - 0,30	mosquito grub, worm, melted cheese, bark beetle, agrimony	mosquito grub, muckworm, bark beetle grub	mosquito grub, porridge	mosquito grub, porridge, dough
ROACH	Slow waters with bush, near rush snag and algae	First ice, last ice, after spawning	Morning, at dawn, in the afternoon of overcast day	2,5 - 6	0,10 - 0,30	mosquito grub, melted cheese, bark beetle grub, agrimony	mosquito grub, bark beetle grub	mosquito grub, bark beetle grub	mosquito grub, bark beetle grub, porridge
TENCH	Parts of lake covered by algae with silty bottom, former river-bed	End of May, beginning of summer	From dawn till heat, at dusk	4 - 8	0,30 - 0,50	-----	muckworm, porridge, insect grubs	muckworm, porridge, Crustacea	muckworm, mosquito grub, porridge
CRUCIAN	Pond, grassy lake, creek, former river-bed	Dog-rose blossoming	Morning, evening, in the afternoon of warm overcast day	4 - 6	0,15 - 0,30	-----	worm, mosquito grub, porridge, dough	worm, mosquito grub, porridge, dough	-----
IDE	Deep pure water with slow current, silty bottom back-water, near submerged trees	Dragonfly flight, viburnum blossoming	Morning, evening, in the afternoon of warm overcast day	6 - 8	0,25 - 0,50	mosquito grub, muckworm, bark beetle grub	mosquito grub, cockchafer, muckworm	mosquito grub, porridge, worm	mosquito grub, bark beetle grub

RUDD	Rushy slow waters	Before and after spawning	Morning, evening, in the afternoon of calm day	4 - 6	0,20 - 0,40	-----	mosquito grub, worm, porridge, dough	worm, insects, bread, porridge, dough	worm, bread, porridge
BLEAK	Lake, pond with deep water and slow current	When melted water becomes clear, before spawning	Morning, evening, in the afternoon of warm calm day	3 - 5	0,15 - 0,20	-----	bark beetle grub, dough, mosquito grub	bark beetle grub, insect grub	bark beetle grub, insect grub, worm
GUDGEON	At the bottom, sandbank, near islands. Keeps off silty places.	When melted water becomes clear	Morning, evening, in the afternoon of warm overcast day	4 - 6	0,15 - 0,20	-----	muckworm, mosquito grub	muckworm, mosquito grub	-----